

Homi Bhabha Calibration Laboratories LLP

(Formed by Conversion from Homi Bhabha Calibration Laboratories- a Registered Partnership firm into an LLP) (Secondary Standard Dosimetric Laboratory & Radiation Calibration services) NABL Accredited Laboratory as per ISO/IEC 17025:2017 standards AndhraPradesh

Ph. No: +91-9247773898 Ph. No: +91-9291756042 Web: www.hbclindia.com NABL Certificate No: CC-3431 LLP Identification no: ACE-5440 e-mail: hbclindia@gmail.com

Customer Feedback & Suggestions Form

(HBCLQF0501)

Dear Valued Customer,

Thank you for choosing HBCL for the calibration of your dosimeters. It is our endeavor to provide high level of accuracy at par with the international standards in Radiotherapy dosimetry countrywide. Your honest feedback will help us to serve you better and enable us in improving our service standards.

Name of the		
Hospital/Inst		
Address:		
Contact Person:		
Designation:		
Mob. No.:	E-Mail id.:	

PART—I Commercial Terms					
Category	Excellent	Very good	Good	Average	
Value for Money					
PART- II Order Execution			1		
Prompt Service					
Advance Intimation Regarding Deviations					
Timely Dispatch					
PART—III Employee Knowledge and attitude	1				
Sincere Interest in Your Problems					
Knowledge to Answer your Questions					
Respect Your Suggestions					



Homi Bhabha Calibration Laboratories LLP

(Formed by Conversion from Homi Bhabha Calibration Laboratories- a Registered Partnership firm into an LLP) (Secondary Standard Dosimetric Laboratory & Radiation Calibration services) NABL Accredited Laboratory as per ISO/IEC 17025:2017 standards AndhraPradesh

Ph. No: +91-9247773898 Ph. No: +91-9291756042 Web: www.hbclindia.com NABL Certificate No: CC-3431 LLP Identification no: ACE-5440 e-mail: hbclindia@gmail.com

Please Indicate	Yes/No
How are you likely to recommend HBCL to Others?	
How likely are you to continue business with HBCL	

Additional Comments if any: _____

To be filled by HBCL personnel only

Total Rating in %	
Corrective Action Ref in Any	

Signature:

Designation

Date:

Seal

Page 2/2